

CINZIA MAZZANTI



CURRICULUM VITAE ET STUDIORUM

INFORMAZIONI PERSONALI	
Nome e Cognome	CINZIA MAZZANTI
Data Nascita	15 Giugno 1962
Luogo di Nascita	Roma
Stato civile	Coniugata
e-mail	c.mazzantiderm@gmail.com
Nazionalità	Italiana
ISTRUZIONE	
Luglio 1987 Istituto di Istruzione	Laurea in Medicina e Chirurgia con votazione 110/110 e lode Università degli Studi di Roma " La Sapienza"
Novembre 1991 Istituto di Istruzione	Diploma di Specializzazione in Dermatologia e Venereologia con votazione di 70/70 e lode Università degli Studi di Roma "La Sapienza".
Anno 1981 Istituto di Istruzione	Diploma di maturità scientifica Liceo Scientifico "Luigi Pasteur", Roma
LINGUE STRANIERE	Buona conoscenza della lingua inglese parlata e scritta
BORSE DI STUDIO	
A.A. 1987/88	Vincitrice di Borsa di studio bandita dal Ministero dell'Università e della Ricerca Scientifica e Tecnologica per specializzandi in Dermatologia e Venereologia
A.A.1987/91	Vincitrice di Borsa di studio bandita dal Ministero dell'Università e della Ricerca Scientifica e Tecnologica per specializzandi in Dermatologia e Venereologia con validità di quattro anni
Anno 1991	Titolare di borsa di studio presso l'IDI l'IRCCS, Roma per "Studio genetico in pazienti affetti da Epidermolisi bollosa congenita"
CONOSCENZE INFORMATICHE	Buona conoscenza del pacchetto Office di Windows, excel

ESPERIENZA LAVORATIVA PROFESSIONALE

Dal Settembre 2021

Responsabile U.O. Dermatologia Clinica Ospedale San Pietro- Fatebenefratelli-Roma

Dal Luglio 2020 ad Agosto 2021

Direttore UOC Reparto ricoveri di Dermatologia IDI Roma

Febbraio 2013 al luglio 2020

Direttore UOC 1° Divisione Dermatologia IDI-IRCCS, Roma

Dicembre 2011 - Febbraio 2014

Direttore di UOC Day Hospital Dermatologico IDI-IRCCS, Roma

Febbraio 2006 – Dicembre 2011

Dirigente Responsabile di UOS “Day Hospital Dermatologico” IDI-IRCCS, Roma

1 Gennaio 1993 – Dicembre 2011

Dirigente medico di primo livello, IDI-IRCCS, Roma

Giugno 2010 – Giugno 2015

Consulente Dermatologo presso “Azienda Complesso Ospedaliero San Filippo Neri”, Roma

Ammessa in ruolo con delibera n. 10 del 07/06/2010 del Consiglio della Provincia Italiana CFIC, ente titolare e gestore dell’IDI-IRCCS, quale dirigente medico dermatologo a seguito della procedura concorsuale prevista dall’articolo 123 del regolamento del personale trasmesso al Ministero della Salute in ossequio di principi contenuti nell’art 15-undecies del DLGS n. 502/92 e successiva modifica e integrazione

TRIAL CLINICI E RICERCA SCIENTIFICA

- Responsabile progetto “Studio clinico immunologico della terapia sensibilizzante con il dibutilestere dell’acido squarico nei pazienti con alopecia areata, finanziato dal Ministero della Salute-Ricerca corrente Anni 2009-2011
- Sub-Investigator Trial Protocol CAIN457AIT01 Novartis Farma S.p.A. (Studio SUPREME): A 24-week, multicenter, prospective study to evaluate the PASI 90 clinical response rate and the safety profile of secukinumab 300 mg in Cw6-negative and Cw6-positive patients with moderate to severe chronic plaque-type psoriasis (SUPREME) – amended with an extension treatment period of up to 48 weeks
- Sub-Investigator Trial Protocol No: SD-005: A Phase 3, Multi-center, Randomized, Double-Blind, Placebo Controlled Study of the Efficacy and Safety of SD-101 Cream in Patients with Epidermolysis Bullosa
- Sub-Investigator Trial Protocol CAIN457A3403 Novartis Farma S.p.A. (Studio SERENA): Long term observational, prospective study to collect in a real life setting data on the retention, effectiveness, safety, treatment pattern, quality of life, and efficiency of secukinumab in adult patients with moderate to severe plaque psoriasis
- Studio dell’espressione dell’IL-36 in pazienti psoriasici in terapia con

**PUBBLICAZIONI SU RIVISTE
INTERNAZIONALI RECENSITE**

secukinumab. Codice Protocollo: IDI-IMM-IL36pso. Promotore Lab. Imm. Sper. IDI-IRCCS. Responsabile: Dr.ssa C. Albanesi

1. G Richard, AR Wright, S Harris, SZ Doyle, B Korgee, C Mazzanti, T Tanaka et al. Fine mapping of the Darier's disease locus on chromosome 12q. J Invest Dermatol 1994; 103: 665-8. IP:4.822
2. T.Gobello, C.Mazzanti, P.Fileccia, B.Didona, M.Papi, F.Atzori, R.Cavalieri. X-linked dominant chondrodysplasia punctata (Happle syndrome) with uncommon symmetrical shortening of the tubular bones. Dermatology 1995; 191: 323-327. IP: 0.685
3. A.M.Christiano, A.Morricone, M.Paradisi, C.Angelo, C.Mazzanti, R.Cavalieri, J.Uitto. A glycine-to-arginine substitution in the triple-helical domain of type VII collagen in a family with dominant dystrophic epidermolysis bullosa. J. Invest. Dermatol. 1995;104: 438-440. IP:4.822
4. G.Richard, B.P.Korge, A.R. Wright, C.Mazzanti, W.Harth, M. Annicchiarico-Petruzzelli, J. G. Compton, S.J. Bale. Hailey-Hailey disease maps to a 5 cM interval on chromosome 3q21-q24. J. Invest. Dermatol. 1995;105: 357-360. IP:4.822
5. AM Christiano, M D'Alessio, M Paradisi, C Angelo, C Mazzanti, P Puddu, J Uitto. A common insertion mutation in COL7A in two Italian families with recessive dystrophic epidermolysis bullosa. J Invest Dermatol 1996; 106: 679-84. IP:4.822
6. M.Papi, B. Didona, L.M. Chinni et al. Koebner phenomenon in an ANCA-Positive patient with pyoderma gangrenosum. J Dermatol 1997; 24:583-6.
7. C. Mazzanti, T.Gobello, P.Posteraro et al. 180-kDa bullous pemphigoid antigen defectivecgeneralized atrophic benign epidermolysis bullosa: report of four cases with an unusually mild phenotype. British Journal of Dermatology 1998; 138: 859-866. IP: 2.017
8. V.L.Ruiz-Perez, S.A.Carter, E. Healy, C. Mazzanti et al. ATP2A2 mutations in Darier's disease: variant cutaneous phenotypes are associated with missense mutations, but neuropsychiatric features are independent of mutation class.Human Molecular Genetics, 1999;8,1621-1630. IP: 9.307
9. F. Capon, G. Novelli S. Semprini, C. Mazzanti et al. Searching for psoriasis susceptibility genes in Italy: genome scan and evidence for a new locus on chromosome 1. J Invest Dermatol 1999; 112:32-5. IP:4.822

10. AQ Terrinoni, E Candi, S Oddi, C Mazzanti et al. A glutamine insertion in the 1A alpha helical domain of the keratin 4 gene in a familial case of white sponge nevus. *J Invest Dermatol* 2000; 114: 388-91. IP:4.822
11. T Gobello, C Mazzanti, G Zambruno, LM Chinni, R Happle. New type of epidermal nevus syndrome. *Dermatol.* 2000; 201: 51-3 . IP:0.685
12. L. Ruzzi, H Pas, P Posteraro, C Mazzanti, B Didona, K Owaribe, G Meneguzzi, G Zambruno, D Castiglia, M D'Alessio. A Homozygous nonsense mutation in type XVII collagen gene (COL17A1) uncovers an alternatively spliced mRNA accounting for an unusually mild form of non-Herlitz junctional epidermolysis bullosa. *J Invest Dermatol* 2001; 116:1-6 IP:4.822.
13. F Ringfeil, A Raus, J J Di Giovanna, B Korge, W Hart, C Mazzanti, J Uitto, S J Bale, G Richard. Darier disease- novel mutations in ATP2A2 and genotype-phenotype correlation. *Exp Dermatol* 2001: 10: 19-27.
14. R Corona, E Dogliotti, M D'Errico, F Sera, I Iavarone, G Baliva, L M Chinni, T Gobello, C Mazzanti, P Puddu, P Pasquini. Risk factors for basal cell carcinoma in a mediterranean population. *Arch Dermatol* 2001:137: 1162-1168.
15. T Gobello, C Mazzanti, D. Sordi, G Annessi, D Abeni, L M Chinni, G Girolomoni. Medium- versus High-dose ultraviolet A1 therapy for urticaria pigmentosa: a pilot study. *J Am Acad Dermatol* 2003; 49: 679-84.
16. M Scaturro, P Posteraro, A Mastrogiacomo, M L Zaccaria, N De Luca, C Mazzanti, G Zambruno, D Castiglia. A Missense mutation (G1506E) in the adhesion G domain of laminin-5 causes mild junctional epidermolysis bullosa. *Biochemical and biophysical research communications* 309 (2003), 96-103.
17. P. Amerio, T. Gobello, C. Mazzanti, E. Giaculli, S. Ruggeri et al. Photodynamic therapy plus topical retinoids in Darier's disease. *Photodiagnosis and Photodynamic therapy.* 2007;4, 36-38.
18. Effect of written emotional disclosure interventions in persons with psoriasis undergoing narrow band ultraviolet B phototherapy. Paradisi A, Abeni D, Finore E, Di Pietro C, Sampogna F, Mazzanti C, Pilla MA, Tabolli S. *Eur J Dermatol.* 2010 Sep-Oct;20(5):599-605. Epub 2010 Jul 7.
19. No evidence for fetal microchimerism in the skin of patients with pemphigoid gestationis. D'Alessio MC, Mazzanti C, Di Simone N, Mancuso S, Reddiconto G, Garzia M, Leone G, Gobello T, Caruso A. *Eur J Dermatol.* 2010 Jan-Feb;20(1):122-3. Epub 2009 Oct 20.

20. Psychological status of patients with alopecia areata. Alfani S, Antinone V, Mozzetta A, Di Pietro C, Mazzanti C, Stella P, Raskovich D, Abeni D. *Acta Derm Venereol*. 2012 May;92(3):304-6. doi: 10.2340/00015555-1239
21. Full sequencing of the FLG gene in Italian patients with atopic eczema: evidence of new mutations, but lack of an association. Cascella R, Foti Cuzzola V, Lepre T, Galli E, Moschese V, Chini L, Mazzanti C, Fortugno P, Novelli G, Giardina E. *J Invest Dermatol*. 2011 Apr;131(4):982-4.
22. Psychological status of patients with alopecia areata. Alfani S, Antinone V, Di Pietro C, Mazzanti C. et al. *Acta Derm Venereol*. 2012 May; 92 (3): 304-306.
23. Ichthiosis linearis circumflexa as the only clinical manifestation of Netherton Syndrome. Guerra L., Fortugno P, Pedicelli C, Mazzanti C et al. *Acta Derm Venereol*. 2015 Feb 24. doi: 10.2340/00015555-2075
24. Effective squaric acid dibutylester immunotherapy is associated with a reduction of skin infiltrating T-helper (Th)1 and Th17 cells in alopecia areata patients. Avitabile S1, Sordi D, Garcovich S, Colonna L, De Luca A, Nasorri F, Mazzanti C, Cavani A. *J Dermatol*. 2015 Jan;42(1):98-9.
25. Pemphigoid Gestationis Complicating an Egg Donation Pregnancy. Guerra L, Mazzanti C, Calabresi V, De Luca N, Zambruno G, Di Zenzo G. *Acta Derm Venereol*. 2016 Jun 15;96(5):695-6. doi: 10.2340/00015555-2303
26. Characterization of TG2 and TG1-TG2 double knock-out mouse epidermis. Pitolli C, Pietroni V, Marekov L, Terrinoni A, Yamanishi K, Mazzanti C, Melino G, Candi E. *Aminoacids* DOI 10.107 2016 Nov 18.
27. Tattoo and warts: new concepts and topical immunotherapy. L. Fania, D. Sordi, G. Pagnanelli, A. Cavani, C. Mazzanti. *Eur J Dermatol*. 2017 Jun 1;27(3):322-323.
28. Prevalence and incidence of hidradenitis suppurativa: an exercise on indirect estimation from psoriasis data. L. Fania, F. Ricci, F. Sampogna, C. Mazzanti, B. Didona, G. Pintori, D. Abeni. *J Eur Acad Dermatol Venereol*. 2017 Sep;31(9):e410-e411.
29. Scleredema of Buschke with prominent periorbital edema. L. Fania, L. Colonna, G. Pagnanelli, D. Abeni, G. Annessi, C. Mazzanti. *Int J Dermatol*. 2017 Oct;56(10):e193-e194.
30. Simvastatin-associated dermatomyositis. L. Fania, D. Didona, T. Tonanzi,

C. Mazzanti, B. Didona. *Dermatol Ther.* 2017 Jul;30(4). doi: 10.1111/dth.12480.

31. Detection and characterization of IgG, IgE and IgA autoantibodies in patients with bullous pemphigoid associated with dipeptidyl peptidase-IV Inhibitors. Fania L, Salemme A, Provini A, Pagnanelli G, Collina MC, Abeni D, Didona B, Di Zenzo G, Mazzanti C. *J Am Acad Dermatol.* 2017 Oct 4.
32. Increased prevalence of diabetes mellitus in bullous pemphigoid patients during the last decade. Fania L, Di Zenzo G, Didona B, Pilla MA, Sobrino L, Panebianco A, Mazzanti C, Abeni D. *J Eur Acad Dermatol Venereol.* 2017 Oct 21.
33. Commentary on "Changing prevalence of diabetes mellitus in bullous pemphigoid: It is the dipeptidyl peptidase-4 inhibitors". Fania L, Di Zenzo G, Mazzanti C, Abeni D. *J Eur Acad Dermatol Venereol.* 2018 Mar 23.
34. Bullous pemphigoid with hyperkeratosis and palmoplantar keratoderma: Three cases. Fania L, Didona D, Pacifico V, Mariotti F, De Luca N, Abeni D, Mazzanti C, Di Zenzo G, Didona B. *J Dermatol.* 2018.
35. A screening programme for dermatologists as a guide to request psychological consultation in routine clinical practice. Panebianco A, Sampogna F, Iemboli ML, Sobrino L, Andreoli E, Antinone V, Mazzanti C, Abeni D. *Eur J Dermatol.* 2018.
36. Kruppel-like factor 4 regulates keratinocyte senescence. Panatta E, Lena AM, Mancini M, Affinati M, Smirnov A, Annicchiarico-Petruzzelli M, Piro MC, Campione E, Bianchi L, Mazzanti C, Melino G, Candi E. *Biochem Biophys Res Commun.* 2018 May 5;499(2):389-395.
37. IL-38 has an anti-inflammatory action in psoriasis and its expression correlates with disease severity and therapeutic response to anti-IL-17A treatment. Mercurio L, Morelli M, Scarponi C, Eisenmesser EZ, Doti N, Pagnanelli G, Gubinelli E, Mazzanti C, Cavani A, Ruvo M, Dinarello CA, Albanesi C, Madonna S. *Cell Death Dis.* 2018 Oct 30;9(11):1104.
38. Increased incidence of cutaneous melanoma in organ transplant recipients based on a single-centre longitudinal study in Rome, Italy. Fania L, Abeni D, Esposito I, Spagnoletti G, Citterio F, Castriota M, Ricci F, Apponi F, Moro F, Mazzanti C, De Simone C, Peris K. *Eur J Dermatol.* 2018 Oct 15.
39. Infantile bullous pemphigoid following vaccination. Guerra L, Pedicelli C, Fania L, De Luca N, Condorelli AG, Mazzanti C, Di Zenzo G. *Eur J*

Roma, 29 agosto 2019

Dermatol. 2018.

40. Behavioural and demographic factors associated with occurrence of non-melanoma skin cancer in organ transplant recipients. Fania L, Abeni D, Esposito I, Spagnoletti G, Citterio F, Romagnoli J, Castriota M, Ricci F, Moro F, Perino F, Mazzanti C, De Simone C, Peris K. *G Ital Dermatol Venereol*. 2018.
41. Sweet syndrome following a positive Mantoux test due to pulmonary tuberculosis. Fania L, Ruggeri S, Sordi D, Oliva A, Provini A, Ricci F, Mazzanti C. *Dermatol Ther*. 2018.
42. A Postzygotic ATP2A2 Novel Mutation Identified by Next-generation Sequencing in Mosaic Darier Disease. Guerra L, Pedicelli C, Proto V, Condorelli AG, Mazzanti C, Castiglia D. *Acta Derm Venereol*. 2019
43. High-resolution melting analysis to screen the ST18 gene functional risk variant for pemphigus vulgaris: The occasion to open a debate on its usefulness in clinical setting. De Bonis M, De Paolis E, Scaglione GL, Fania L, Lavieri MM, Mazzanti C, Di Zenzo G, Minucci A, Capoluongo E. *Exp Mol Pathol*. 2019
44. Severe forms of hidradenitis suppurativa with complications in the anogenital area. Fania L, Caggiati A, Laporta R, Nicodemi EM, Passarelli F, Fusari R, Mazzanti C, Abeni D. *Dermatol Ther*. 2019
45. The Broad-Spectrum Impact of Hidradenitis Suppurativa on Quality of Life: A Comparison with Psoriasis. Sampogna F, Fania L, Mazzanti C, Caggiati A, Pallotta S, Panebianco A, Mastroeni S, Didona B, Pintori G, Abeni D. *Dermatology*. 2019
46. A comparison between two educational methods in the rehabilitation of the microstomia in systemic sclerosis: a randomized controlled trial. Uras C, Mastroeni S, Tabolli S, Masini C, Pallotta S, Teofoli P, Rocco G, Mazzanti C, Abeni D. *Clin Rehabil*. 2019
47. A Case of Miliaris Osteoma Cutis in a Male: Dermoscopic Findings and Micro-Ablation Treatment. F. Moro F. Ricci I. Pennacchia C. Mazzanti D. Abeni L. Fania. *Dermatol Ther*. 2019.
48. Hidradenitis suppurativa epidemiology: from the first Italian registry in 2009 to the most recent epidemiology updates - Italian Registry Hidradenitis Suppurativa project 2. Bettoli V, Cazzaniga S, Scuderi V, Zedde P, Di Landro A, Naldi L; IRHIS Group. *J Eur Acad Dermatol Venereol*. 2019 Oct;33 Suppl 6:4-6. doi: 10.1111/jdv.15826.
49. Paradoxical psoriasis induced by TNF- α blockade shows immunological features typical of the early phase of psoriasis development. Fania L,

Morelli M, Scarponi C, Mercurio L, Scopelliti F, Cattani C, Scaglione GL, Tonanzi T, Pilla MA, Pagnanelli G, Mazzanti C, Girolomoni G, Cavani A, Madonna S, Albanesi C. *J Pathol Clin Res*. 2019 Oct 2. doi: 10.1002/cjp2.147. [Epub ahead of print]

50. Evaluation of cutaneous, oral and intestinal microbiota in patients affected by pemphigus and bullous pemphigoid: A pilot study. Scaglione GL, Fania L, De Paolis E, De Bonis M, Mazzanti C, Di Zenzo G, Lechiancole S, Messinese S, Capoluongo E. *Exp Mol Pathol*. 2019 Nov 6;112:104331. doi: 10.1016/j.yexmp.2019.104331. [Epub ahead of print]
51. Development of bullous pemphigoid in junctional epidermolysis bullosa. Fania L, Provini A, Salemme A, Sinagra JL, Guerra L, Mazzanti C, Didona B, Castiglia D, Di Zenzo G. *J Eur Acad Dermatol Venereol*. 2019 Nov 11. doi: 10.1111/jdv.16057. [Epub ahead of print]
52. Role of Nicotinamide in Genomic Stability and Skin Cancer Chemoprevention. Fania L, Mazzanti C, Campione E, Candi E, Abeni D, Dellambra E. *Int J Mol Sci*. 2019 Nov 26;20(23). pii: E5946. doi: 10.3390/ijms20235946.
53. The International Hidradenitis Suppurativa Severity Score System (IHS4) is a valuable tool to assess sex- and gender-associated differences. Napolitano M, Mastroeni S, Fusari R, Mazzanti C, Ciccone D, Pallotta S, Sampogna F, Fania L, Abeni D. *Eur J Dermatol*. 2020 Apr 10. doi: 10.1684/ejd.2020.3743
54. Successful treatment of Sapho syndrome and hidradenitis suppurativa: A therapeutic challenge. Fania L, Moro F, Clemente A, Sordi D, Scarabello A, Mazzanti C, Caggiati A, Zecchi V, Panebianco A, Cassotta G, Abeni D. *Dermatol Ther*. 2020 May;33(3):e13453. doi: 10.1111/dth.13453.
55. Multiple Sclerosis Treatment and Melanoma Development. Carbone ML, Lacal PM, Messinese S, De Giglio L, Pozzilli C, Persechino S, Mazzanti C, Failla CM, Pagnanelli G. *Int J Mol Sci*. 2020 Apr 22;21(8):2950. doi: 10.3390/ijms21082950.
56. Eosinophilic annular erythema: report of four cases. Fania L, Provini A, Rota L, Mazzanti C et al. *Dermatol ther* 2020 Nov 33-6; e 14369
57. Mild therapeutic response of alopecia areata during treatment of psoriasis with secukinumab. Pagnanelli G, Cavani A, Canzona F, Mazzanti C. *Eur J Dermatol*. 2020 Oct 1;30(5):602-603. doi: 10.1684/ejd.2020.3866.
58. Successful treatment of two cases of perianal Bowen disease with photodynamic therapy followed by imiquimod cream. Provini A, Ruggeri S, Mazzanti C, Pilla MA, Ricci F, Panebianco A, Abeni D, Fania L. *Dermatol Ther*. 2020 Jul;33(4):e13759. doi: 10.1111/dth.13759. Epub 2020 Jul 3.

59. Correlation between Depression, Quality of Life and Clinical Severity in Patients with Hidradenitis Suppurativa. Sampogna F, Fania L, Mastroeni S, Fusari R, Napolitano M, Ciccone D, Mazzanti C, Pallotta S, Panebianco A, Abeni D
60. Intralesional ultrasound-guided combined treatment with triamcinolone plus lincomycin in hidradenitis suppurativa: A pilot study. Fania L, Clemente A, Sampogna F, Mazzanti C, Pallotta S, Panebianco A, Sordi D, Caggiati A, Cassotta G, Tiezzi A, Cristiano L, Zecchi V, Napolitano M, Abeni D. *Dermatol Ther.* 2020 Nov;33(6):e13901. doi: 10.1111/dth.13901. Epub 2020 Jul 14.
61. The impact of hidradenitis suppurativa on general health is higher than that of hypertension, congestive heart failure, type 2 diabetes, myocardial infarction and depression. Sampogna F, Fania L, Mazzanti C, Pallotta S, Panebianco A, Mastroeni S, Didona B, Abeni D. *J Eur Acad Dermatol Venereol.* 2020 Aug;34(8):e386-e388. doi: 10.1111/jdv.16290. Epub 2020 Mar 4.
62. The integrated care pathway for non melanoma skin cancer: the Istituto Dermopatico dell'Immacolata - IRCCS experience in Rome..Fania L, Morese R, Di Lella G, Palese E, Mazzanti C, Pallotta S, Panebianco A, Laporta R, Caggiati A, Passarelli F, Ziparo V, Tartaglione T, Candi E, Dellambra E, Di Pietro FR, De Galitiis F, Marchetti P, Abeni D. *Recenti Prog Med.* 2020 Dec;111(12):749-760. doi: 10.1701/3509.34966.
63. Pemphigus vulgaris in two pairs of siblings from two unrelated Italian families: Human leukocyte antigen genotypes, ST18 mutation and immunological profile. Fania L, Moro F, De Paolis E, Provini A, Salemme A, Mariotti F, Sinagra JLM, Mazzanti C, Ruzzi L, Capoluongo E, Di Zenzo G. *J Dermatol.* 2021 Feb;48(2):211-214. doi: 10.1111/1346-8138.15656. Epub 2020 Dec 1. PMID: 33258504

Il sottoscritto è a conoscenza che, ai sensi dell'art. 26 della legge 15/68, le dichiarazioni mendaci, la falsità negli atti e l'uso di atti falsi sono puniti ai sensi del codice penale e delle leggi speciali. Inoltre, il sottoscritto autorizza al trattamento dei dati personali, ivi compresi quelli sensibili, ai sensi e per gli effetti del decreto legge 196/2003 per le finalità di cui al presente avviso di candidatura.

--	--

Roma, 29 agosto 2019

Cinzia Mazzanti
